

The reply filed on 11/1/07 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s): The claim set filed 11/1/07 has improper status indicators. For example, claims 21-37 were "withdrawn" in the Office Action of 7/20/07 and should have the status indicator -- (withdrawn) --. Applicant improperly gave these claims the status indicator "(original)". A new set of claims with the proper status indicators is required. See 37 CFR 1.111. Since the above-mentioned reply appears to be *bona fide*, applicant is given **ONE (1) MONTH or THIRTY (30) DAYS** from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Robert C. Watson whose telephone number is 571 272-4498. The examiner can normally be reached on Mon. - Thurs. , 5:30am - 4:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Joseph J. Hail III can be reached on 571 272-4485. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3723

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Robert C. Watson/

Primary Examiner, Art Unit 3723

rcw